
GALLERY® collection 3-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

The Gallery® Collection three-layer construction provides exceptional strength, energy efficiency and dent resistance as well as a beautiful carriage house appearance. The 2" or 1-3/8" thickness of Intellicore® polyurethane or polystyrene insulation and thermal break makes these doors heat and cold resistant while the tongue-and-groove joint helps seal out wind, rain and snow. Available in short and long panels with multiple window options, the three-layer Gallery® Collection is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.



Warmer. Quieter. Stronger.

Gallery® Collection doors featuring Intellicore® insulation technology represent the ultimate smart choice for homeowners.

Clopay's Intellicore is a proprietary polyurethane foam that is injected into a garage door, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door, while its industry-leading 18.4 R-value provides year-round comfort and improved energy efficiency. Smart, indeed.



3-Layer Construction

GD2SU & GD2LU MODELS

2"
POLYURETHANE
INSULATION

18.4
R-VALUE

GD1SU & GD1LU MODELS

13/8"
POLYURETHANE INSULATION

12.9
R-VALUE

GD2SP & GD2LP MODELS

2"
POLYSTYRENE INSULATION

9.0 R-VALUE GD1SP & GD1LP MODELS

13/8"
POLYSTYRENE INSULATION

6.5
R-VALUE



COLORS



- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

Due to the printing process, colors may vary.

ULTRA-GRAIN® PAINT OPTION



Ultra-Grain® Medium Finish



Ultra-Grain® Dark Finish



Ultra-Grain® Walnut Finish

- Painted steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal on stiles and vertical on panels for an authentic, natural look.
- Available in Medium, Dark or Walnut finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on an Ultra-Grain® painted door has a stucco texture to create a more natural woodgrain appearance.
- Window frames, grilles and inserts are color matched to coordinate with the Ultra-Grain® patterns. All window options are available.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

HEIGHTS

7'0"-8'0"


Illustrations simplified for clarity

Wrought Iron Arch*†

ഞ്ഞ ഞ്ഞ

ഞ്ഞ് ഞ്ഞ് ഞ്ഞ്

MODELS GD1SP, GD1SU,



^{14&#}x27;10"-19'0' 19'2"-20'0' 7'8"-10'0" ARCH1 Plain ARCH1 with 4411 | 1111 | 4411 | 1111 Vertical Grilles ARCH1 with Grilles aa In. aa In. ARCH2 Plain ARCH2 with an an an an an an Vertical Grilles ARCH2 with Grilles ARCH3 Plain 111 ARCH3 with Vertical Grilles ARCH3 with Grilles Trenton® Short[†] 200 200 002 002 002 000 200 Trenton® Long[†] 886686 86866 800200 020000 200020 002000 Clayton™ Short[†] 00 00 00 00 Clayton™ Long† 000000 000000

10'6"-12'0'

9'0"-10'0"

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

^{*}Acrvlic

[†]Complements Clopay Entry Door glass.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

MODELS GD1LP, GD1LU, **GD2LP AND GD2LU**

(1)

((

111

*** * ***

88 88 88 86

Short Top Section

Plain Short

Plain Long

Short with

Long with

Short with

Long with

Square Grilles

Ashford® Short†

Ashford® Long†

Kristin® Short[†]

Kristin® Long†

Wrought Iron Short*1

Wrought Iron Long*1

Square Grilles

Rectangular Grilles

Rectangular Grilles



Clayton™ Long†

Wrought Iron Arch*†

.....

कारत कारत

10'6"-12'0'

7'8"-10'0"

866866 668668

ഞ്ഞ് ഞ്ഞ് ഞ്ഞ്

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

^{*}Acrvlic †Complements Clopay Entry Door glass.

Windows





ARCH1 Plain




ARCH1 with Vertical Grilles


















Clayton™ Long*

ACRYLIC



Wrought Iron Short*



Wrought Iron Long'



Long and short windows may be used in any Gallery® 3-layer model. Double strength glass is standard. Optional obscure, 3/4" insulated and 3/4" insulated obscure glass are available on all Gallery® 3-layer models. Wrought Iron and decorative grilles.

Additional Features



Large authentic arch window designs. Ultra-Grain® window frames, grilles and inserts are color coordinated to Medium. Dark and Walnut finishes.



Energy-efficient thermal break. Polyurethane model shown.

- 2" or 1-3/8" thick sandwich construction consisting of exterior and interior steel skins filled with Intellicore® polyurethane or polystyrene insulation makes these doors strong, energy efficient and quiet.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Nylon rollers are quiet and durable.
- Corrosion-resistant, aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.
- See your Clopay Dealer for WINDCode® door availability.

Warranties









For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on 🖪 🕒 🛍 📵







MADE IN USA

Decorative Hardware



Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen See your Clopay Dealer for details.

Operable

L-Keylocks







Colonial Lift



Operable T-Keylock

Plates Aluminum construction. Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Escutcheon

A FOCUS ON

Clopay is committed to designing, manufacturing and distributing garage doors that enhance the beauty, safety and value of your home while minimizing the impact on the environment.

The Gallery® Collection three-layer construction helps conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing shipping, damage and handling.

For more details on Clopay's green practices visit clopaydoor.com/cgreen.aspx

GALLERY® collection

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

Clopay's one and two-layer Gallery® collection combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Nylon rollers are quiet and durable.
- Rust-proof, aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.





Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated





Model	Description			
GD5SV	25 Gauge, Short Panel, Insulated			
GD4SV	24 Gauge, Short Panel, Insulated			
GD4LV	24 Gauge, Long Panel, Insulated			



DOOR DESIGNS



Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). All doors available 6'0"-16'0" high in 3" increments. Standard hardware shown above.

COLORS



- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

* Not available on Models GD4L and GD4LV. Due to the printing process, colors may vary.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

HEIGHTS 7'0"-8'0" **MODELS** GD5S, GD5SV, GD4S AND GD4SV WIDTHS 5'0"-6'0" 6'2"-7'6 Models GD5S and GD5SV available only in widths up to 18'. Long Top Section Plain Short

*** * * ***

36 36 38 38

88 88 88 88 88 88 88

PER PER PER PER

Plain Long

Short with

Long with

Short with

Long with

Square Grilles

Ashford® Short†

Ashford® Long[†]

Kristin® Short†

Kristin® Long†


Wrought Iron Short*†

Wrought Iron Long*1

Square Grilles

Rectangular Grilles

Rectangular Grilles





10'6"-12'0'

7'8"-10'0"

9'0"-10'0"

19'2"-20'0'


^{*}Acrvlic

[†]Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

MODELS GD4L AND GD4LV



Short Top Section			ARCH1 Plain	
Plain Short			ARCH1 with Vertical Grilles	
Plain Long			ARCH1 with Grilles	
Short with Rectangular Grilles			ARCH2 Plain	
Long with Rectangular Grilles			ARCH2 with Vertical Grilles	
Short with Square Grilles			ARCH2 with Grilles	
Long with Square Grilles			ARCH3 Plain	
Ashford® Short†			ARCH3 with Vertical Grilles	
Ashford® Long†			ARCH3 with Grilles	
Kristin® Short†			Trenton® Short [†]	
Kristin® Long†			Trenton® Long†	
Wrought Iron Short*†	*** *** *** *** *** *** *** *** *** **		Clayton™ Short [†]	
Wrought Iron Long*†			Clayton™ Long†	
Acrylic †Complements Clopay Entry Door glass. Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.			Wrought Iron Arch†	

Windows

GLASS



Plain Short



ARCH1 Plain



ARCH1 with Grilles



ARCH1 with Vertical Grilles



Plain Long



ARCH2 Plain





ARCH2 with Vertical Grilles



Short with Square Grilles




Short with Rectangular Grilles



Long with Square Grilles



Long with Rectangular Grilles



Ashford® Short*



Kristin® Short



Trenton® Short*



Clavton™ Short'

LIMITED

3YR

WARRANTY

LIMITED

3YR

WARRANTY

Clopay is committed to designing, manufacturing

The Gallery® Collection one and two-layer construction helps conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing shipping, damage and handling.

safety and value of your home while minimizing the

For more details on Clopay's green practices visit clopaydoor.com/cgreen.aspx

and distributing garage doors that enhance the beauty,

24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)

A FOCUS ON



*Complements Clopay Entry Door glass.

Ashford® Lona*



Kristin® Long*



Trenton® Long³



Clayton™ Long*

ACRYLIC



Wrought Iron Short*



Wrought Iron Long'



PAINT SYSTEM

LIMITED

15 YR

WARRANTY

LIMITED

LIFE

WARRANTY

Warranties

25 GAUGE DOORS (GD5S and GD5SV)

LIMITED

10 YR

WARRANTY

LIMITED

10 YR

WARRANTY

impact on the environment.

Long and short windows may be used in any Gallery® 1 & 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery® 1 & 2-layer models.

Decorative Hardware

STANDARD



Spade Step Plate

Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.

Operable

L-Keylocks

Escutcheor

OPTIONAL



Spear Strap Hinge*†





Colonial Lift

Handles1

Gate Latch

• Colonial Step Plate[†] Operable Colonial Strap Hinge*† T-Keylock

Olde Door Pull Handles†

*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.



For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on 🖪 🕒 🛍 📵







MADE IN USA